

TECHPharm GmbH
Draisstraße 14

D-76646 Bruchsal

E-Mail: info@techpharm.de

Fax: +49/(0)7251/72484-29

Request for Sample Taking Equipment for Cleaning Validation

Please send us the following equipment for taking of cleaning validation samples, designated for analysis at TECHPharm GmbH, according to the conditions mentioned in the currently valid offer. PU= packaging unit; Pck=pack.

X ¹⁾	Items	Quantity
	Sample bottles „Schottflaschen“ 100 ml with red cap, for sample taking TOC / HPLC, non-sterile	1 PU = 6 bottles
		1 PU = 10 bottles
	Sample bottles „Schottflaschen“ 250 ml with red cap, for sample taking for water analytics, non-sterile (1 PU = 8 bottles)	__ PU
	Sample bottles „Schottflaschen“ 500 ml with red cap, for sample taking for water analytics, non-sterile (1 PU = 6 bottles)	__ PU
	Sample bottles „Schottflaschen“ 100 ml with red cap, for sample taking for microbiology, heat-sterilized (1 PU = 10 bottles)	__ PU
	Sample bottles „Schottflaschen“ 250 ml with red cap, for sample taking for microbiology, heat-sterilized (1 PU = 8 bottles)	__ PU
	Sample bottles „Schottflaschen“ 500 ml with red cap, for sample taking for microbiology, heat-sterilized (1 PU = 6 bottles)	__ PU
	<i>Swabs</i> for sample taking, cotton tips; 1 Pck including 200 / 300 pieces, Certificate of Analysis available at: www.techpharm.de	__ Pck.
	TECHPharm example SOP <i>swab and rinse</i> ²⁾	

¹⁾ Please check required positions.

²⁾ Standard Operations Procedures (SOPs) provided by TECHPharm GmbH may be used for cleaning validation purposes and documentation, if applicable. Responsibility for using SOPs provided by TECHPharm GmbH however rests with the customer. The customer guarantees that SOPs provided by TECHPharm GmbH will not be handed to further companies. The SOPs are not subject to change index.

To ensure optimal conditions for analytics, please return the filled sample bottles to us in time and check for completeness. Please ensure that only the dedicated transport cartons provided by TECHPharm are used. To avoid fracture of sample bottles, please ensure that empty slots in the carton are filled with empty sample bottles.

Shipping Address:

Delivery date: within 10 working days*

(sterile bottles: 15 working days*)

*depending on availability

____ . ____ . ____

Name: _____

Date: _____

Signature: _____